	Type	L #	Hits	Search Text	DBs
5	BRS	L5	0	3 and (alarm$3 or fault$1 or false)	US-PGPUB; USPAT; EPO; JPO
6	BRS	L6	1	3 and noise	US-PGPUB; USPAT; EPO; JPO
7	BRS	L7	3299	(alarm$3 or sound or beep$1 of flag$1) near3 (noise near3 detect$3 or error$6 near3 detect$4)	US-PGPUB; USPAT; EPO; JPO
8	BRS	L8	48	(alarm$3 or sound or beep$1 of flag$1) near3 (noise near3 detect$3 or error$6 near3 detect$4) near3 compar$6	US-PGPUB; USPAT; EPO; JPO
9	BRS	L9	1	"6266799".pn.	US-PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Err ors
5	2005/06/28 12:18			
6	2005/06/28 12:29			
7	2005/06/28 12:30			
8	2005/06/28 14:56			
9	2005/06/28 13:39			

	Type	L #	Hits	Search Text	DBs
10	BRS	L10	368	(high$3 near3 compar$6 or upper near3 compar$6 or max near3 compar$6 or maxim$3 near3 compar$6) same (low$3 near3 compar$6 or low$3 near3 compar$5 or min near3 compar$5 or minim$3 near3 compar$4 or down$4 near3 compar$6) same (error$5 near3 detect$4 or error$4 near3 process$3 or error$5 near3 calculat$4 or alarm$3 near3 detect$4 or alarm$4 near3 occur$6 or noise near2 detect$4 or noise near3 calculat$4 or noise near2 determin$6 or error$4 near3 determin$4 or noise near2 process$4)	US-PGPUB; USPAT; EPO; JPO
11	BRS	L11	29	10 same ("vh" or high$3 near2 voltage$1 or upper near3 voltage$1 or "vmax" or maxim$4 near2 voltage) same ("vl" or low$3 near3 voltage$1 or minim$3 near3 voltage$1 or "vmin")	US-PGPUB; USPAT; EPO; JPO
12	BRS	L12	1	"6266799".pn. and (counter$3 or frequenc$3 near2 divid$4 or programmabl$3)	US-PGPUB; USPAT; EPO; JPO
13	BRS	L13	1	"6223089".pn.	US-PGPUB; USPAT; EPO; JPO
14	BRS	L14	1	"6223089".pn. and programmab$5	US-PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Err ors
10	2005/06/28 13:44			
11	2005/06/28 14:57			
12	2005/06/28 14:31			
13	2005/06/28 14:12			
14	2005/06/28 14:12			

	Type	L #	Hits	Search Text	DBs
15	BRS	L15	0	"6266799".pn. and (frquenc$3)	US-PGPUB; USPAT; EPO; JPO
16	BRS	L16	1	"6266799".pn. and (frequenc$3)	US-PGPUB; USPAT; EPO; JPO
17	BRS	L17	644	(alarm$3 or sound or beep$1 of flag$1 or fault$1) near3 (noise near3 detect$3 or error$6 near3 detect$4) same compar$6	US-PGPUB; USPAT; EPO; JPO
18	BRS	L18	0	17 same ("vh" or high$3 near2 voltage$1 or upper near3 voltage$1 or "vmax" or maxim$4 near2 voltage) same ("vl" or low$3 near3 voltage$1 or minim$3 near3 voltage$1 or "vmin")	US-PGPUB; USPAT; EPO; JPO
19	BRS	L19	19	17 and ("vh" or high$3 near2 voltage$1 or upper near3 voltage$1 or "vmax" or maxim$4 near2 voltage) same ("vl" or low$3 near3 voltage$1 or minim$3 near3 voltage$1 or "vmin")	US-PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Err ors
15	2005/06/28 14:31			
16	2005/06/28 14:31			
17	2005/06/28 14:56			
18	2005/06/28 14:57			
19	2005/06/28 14:57			